

OBI 11g Data Visualization Best Practices

Oracle OpenWorld 2012

Tim Vlamis Brian Terry

Vlamis Software Solutions 816-781-2880 http://www.vlamis.com



Vlamis Software Solutions

- Founded in 1992 by Dan Vlamis in Kansas City, MO
- Developed/implemented more than 200 Oracle BI systems
- Specializes in ORACLE-based:
 - Business Intelligence
 - Analytic Options to Oracle DB (OLAP, Data Mining, Spatial)
 - Data Warehousing
 - Training and mentoring
- Expert presenter at major Oracle conferences
- <u>www.vlamis.com</u> (blog, papers, newsletters, services)
- Co-authored book "Oracle Essbase & Oracle OLAP"
- Beta tester for OBIEE 11g
- Reseller for Simba and NAVTEQ map data for OBIEE
- HOL Coordinator for 2012 Collaborate Conference







Tim Vlamis and Brian Terry

- Tim (business analyst and academic guy)
- 20+ years in business modeling, valuation, forecasting, and scenario analyses
- Professional Certified Marketer (PCM) from AMA
- Active Member of NICO (Northwestern Institute on Complex Systems)
- Adjunct Professor of Business, Benedictine College
- MBA Kellogg School of Management (Northwestern)
- BA Economics Yale University
- Brian (Oracle expert and hands-on IT guy)
- 25+ Years experience in software and hardware architectures
- 11 years SC at Oracle Corporation
- Expertise in data modeling
- Expertise in large scale HW / SW Architectures
- Interests include physical computing, visualization, and graphics





Pretty Sunset Description

The sun is setting over the pacific. ---

The light is glistening off the water, reflecting in the waves...

Nature at it's peaceful best . . .

Visualize this serene seascape . . .










Calculate the Third Side








Protractor and ruler...but how do I show my work and prove it's correct?

You Could




...what about accuracy ... or consistency?





Visualization Offers Insights

Or you could employ visualization techniques to re-frame the problem . . . into a metaphor that lends itself to better accuracy




$$a^2 + b^2 = c^2$$





Gartner Magic Quadrant for BI Feb 2012









Highlights from Gartner's BI Magic Quadrant Report 2012

- BI and Analytics named as "Top Priority" for 2012
- "Organizations continue to turn to BI as a vital tool for smarter, more agile, and efficient business."
- OBI has highest aggregate "Ability to Execute" score.
- Broadest global deployment score
- Average user population nearly 3000
- Average data volumes nearly 5 Terabytes
- Below average complexity scores (mostly used for static reporting)
- ★Below average ease of use scores
- ★OBI has low "data discovery" score










Main Uses of BI Reports & Dashboards

Exploration




Explanation



The Principles of Human Cognition Should Guide BI Dashboard Design











Classic Optical Illusions



Copyright © 2012, Vlamis Software Solutions, Inc.




Which Soldier is tallest?







The Spirals are the Same Color











What Attracts Attention

1. Motion

2. Color

3. Size










Graphs and Tables

 Graphs and Charts depict visual representations and **New Product Market Penetration**

relationships.



• Tables show data organized for lookup of specific, precise

values or items.

District	Month	Dollars	WB Forecast Dollars	%Forecast
ATLANTA DISTRICT	03/01/2008	595,232.0	53.5, 18.5.0	111.2
BOSTON DISTRICT	03/01/2008	1,882,036.0	1,954,736.7	96.3
CHARLOTTE DISTRICT	03/01/2008	215,360.0	20 4,59 2.0	105.3
CHICAGO DISTRICT	03/01/2008	1,381,552.0	1, 236,574.0	111.7
CINCINNATI DISTRICT	03/01/2008	827,162.0	742,869.0	111.3
DALLAS DISTRICT	03/01/2008	1,060,316.0	897,654.0	118.1
DENVER DISTRICT	03/01/2008	955,876.0	1,050,735.4	91.0
DETROIT DISTRICT	03/01/2008	961,026.0	1, 249,333.8	76.9
JACKSONVILLE DISTRICT	03/01/2008	1,827,434.0	1,892,779.4	96.5





Keys to Effective Tables

- Enable column and row sorting.
- Use appropriate number format.
- Avoid scrolling if possible.
- Lock titles if do use scrolling (BI Publisher)
- Display significant figures.
- Judiciously use conditional formatting for data exploration.
- Avoid putting text in color.
- Alignment, proximity, contrast.






Keys to Effective Graphs

- Do not use 3-D effects.
- Avoid "stop light" color palette.
- Prefer pastel color palettes.
- Avoid bright colors.
- Do not use round gauges or dials.
- Eliminate gridlines, drop shadows, and other graphics.
- Enable interaction for "exploration" graphs
- Prioritize a single message for "explanation" graphs
- Alignment, proximity, contrast.




2004 - 2005 Budget

Budget By Division




Owensboro Police Department 2005 Annual Report





Weekday Server Load





Using Color Effectively

- Consciously choose a color palate.
- ColorBrewer2.org
 - Sequential schemes



- Designed for ordered data that progresses from low to high.
- Divergent schemes



- Place equal emphasis on mid-range values and extremes at both ends of the data range.
- Qualitative schemes




 Used for nominal and categorical data where magnitude differences between classes should not be emphasized.





Colorbrewer2.org





OBIEE Dashboard Best Practices

- Content is customized.
- Design is standardized.
- Selection and transformation of data is transparent.
- Dashboards are consciously designed and optimized for effectiveness.



OBIEE Demo





Trellis Charts

 Trellis Layout of Smaller Charts in a grid with Consistent Scales

Great for finding structures / patterns in complex data

Use 2D Layout to View Multidimensional

Data (like a timeline

-mental animation)








Trellis View - Simple

- Single type of inner visualization
- Common synchronized scale across all graphs

Airlines Delay Performance Matrix

By Distance Group by Departure Time

- Has scale showing by default (can turn off)
- Lots of graph types
 - Vertical Bar
 - Horizontal Bar
 - Line
 - Area
 - Line-Bar
 - Pie
 - Scatter
 - Bubble



SOFTWARE SOLUTIONS



Trellis View - Advanced

- Pivot table with numbers or graphs in cells
- Each microchart has its own scale and not shown
- Most often used to see trend lines

⊞ Prompts and Sections

Distance Class

Visualization


▼ ■ Dep Month

View as Spark Bar

Excluded

Orig Region Name

- No axis description, so across should be time
- Can have different visualizations for different measures
 - Spark bar
 - Spark line
 - Spark area
 - numbers





New Trellis Views

- Does not require Exalytics but need fast Pres Server
- Can display LOTS of data in compact form
- Capable of dense visualizations
 - Great for snapshot of trending
 - Great for comparing patterns across dimension values
- Two types
 - Simple (shows full graphs per cell)
 - Advanced (sparklines no scales per cell, separate scales)
- Need to think what you're trying to show on a trellis






OBI Scorecard & Strategy Management

- Integrated toolset in OBIEE
- Follows "Balanced Scorecard" methodology
- Enables corporate goals and objectives to be monitored and managed



Includes strategy maps, strategy trees, KPI watch lists,
























Financial


















New Contribution Wheel Visualization












Strategy Map View







This page is better rendered by using Firefox browser



Sparklines Types (JQuery)

Time run: 5/15/2012 7:43:22 PM

As Of: 2010 / 10

Dimension	1- Revenue	Line	Chart	Tristate	Discrete	Pie Charts	Box	Bullet	
Assembled Dept.	92,556	$\overline{\mathcal{M}}$		11 11 111	i in		Н	-	
Entertainment Dept.	189,100				i din	4	H	-	
Equipment Dept.	186,291	\sim			p ^h p _{li}	(Н	-	
Local Plants Dept.	193,843	\sim	allu.		p ^h ph	<u> </u>	Н	-	
Manufactured Dept.	190,268	\sim			1,01	(Н	-	
Operations Dept.	190,225	Λ.,			ill his	<u> </u>	H		
Surplus Dept.	92,343				,h _{iii}	<u></u>	H	-	
Technology Dept.	279,962	<u></u>			ϕ_{00}	4	H	-	
Test Programs Dept.	187,073	<u> </u>			de	4	H .		
Translated Products Dept.	288,014	<u></u> ∧		"."	θ_{0}	<u> </u>	H		

Analyze -Edit -Refresh -Print

囘

Pivot Heat Map

	Grand Total	Games	TV	Communication	Electronics	Services	<u>Digital</u> △▽
Figueroa Office	3,842,927	914,978	729,734	681,729	701,586	407,924	406,975
Guadalupe Office	3,724,904	862,523	693,361	664,967	707,356	406,223	390,474
Madison Office	3,717,168	825,439	779,666	739,256	611,821	446,599	314,387
Spring Office	3,709,488	858,879	717,308	667,767	685,675	422,997	356,863
Eiffel Office	3,686,688	823,046	728,679	676,979	682,524	405,847	369,613
Morange Office	3,641,103	811,852	721,242	665,251	663,154	418,867	360,736
Perry Office	3,619,566	855,577	683,439	644,954	665,790	409,505	360,299
College Office	3,585,299	819,437	694,455	651,687	657,574	405,017	357,129
Copper Office	3,580,654	839,416	687,128	646,676	635,637	410,738	361,058
River Office	3,492,079	818,428	680,394	623,420	619,194	407,964	342,679
Montgomery Office	3,408,826	759,058	682,610	645,294	577,336	448,314	296,214
Mills Office	3,403,649	781,304	642,323	626,079	605,688	404,210	344,045
Sherman Office	3,402,840	755,860	664,127	657,163	600,825	418,788	306,077
Blue Bell Office	3,381,098	736,555	663,794	674,607	586,915	417,255	301,973
Casino Office	3,375,885	748,299	667,646	650,591	585,134	427,806	296,409
Eden Office	3,339,479	736,841	647,572	675,796	559,997	424,357	294,916
Foster Office	3,315,059	739,504	658,783	638,605	570,621	416,816	290,730
Tellaro Office	3,296,487	739,693	665,197	633,022	558,079	409,549	290,947
Merrimon Office	3,267,813	736,837	636,913	623,980	568,846	407,850	293,386
Glenn Office	3,208,987	722,666	626,456	611,952	556,473	412,547	278,894






Humans Think Spatially





Why Maps are Powerful







What is Spatial Data?

- Business data that contains or describes location
 - Street and postal address (customers, stores, factory, etc.)
 - Sales data (sales territory, customer registration, etc.)
 - Assets (cell towers, pipe lines, electrical transformers, etc.)
 - Geographic features (roads, rivers, parks, etc.)
- Anything connected to a physical location





When Are Map Views Useful?

- Visualizing data related to geographic locations.
- Showing or detecting spatial relationships and patterns.
- Showing lots of data in a relatively small area.
- Drilling down from a (map) overview to a detailed report, chart, or graph.
- When is location important? Can the dimension be plotted on a map?





Map View Tips

- Think about what scale to use. Different map scales will reveal different patterns and insights.
- Use Variable marker to display two measures on a map at a point – size and color.
- Avoid overlapping shapes too much.
- Be aware of spatial distortions E.g. Texas is larger than Connecticut.
- Look at color palette. www.colorbrewer2.org





Map Definitions

FEATURE

- Provide a spatial context: cities, highways, rivers, etc...
- Features of Interest: store location, postal boundaries, pipelines, etc...

STYLE

- Define rendering properties for features
- Can control fill color, border color, line thickness, line style and more

THEME

- Collection of features
- Typically associated with a spatial geometry layer
- County/state boundaries, major highways, etc...

BASEMAP

- A grouping of themes to create a map
- Maps can share themes
- When associating a theme with a map, can specify min scale and max scale (sometimes known as zoom control)

MAP

Basemap with additional themes overlain





Map Interactivity in OBIEE 11g

- Display BI data on top of maps
 - Color fill
 - FOI point display
- Interact with other Dashboard Elements
 - Drive map content with dashboard prompts
 - Drive map content through drilling and navigation
 - Drive other dashboard elements through map interactions
- Reveal additional information on maps through mouseovers
- Drill to map detail





Map View Formats

- Color Fill (choropleth)
 - Percentile, Value,
 Continuous binning
 - Dashboard user run-time slider
- Graphs Bar, Pie
 - Adjustable graph size
 - Series by second dimension
- Bubble (variable sized)
 - Min-Max size specification
 - Color specification

- Variable Shape
 - Circle, Triangle, Diamond
 - Customizable
- Image
 - Imported via MapViewer
 - More can be added from MapBuilder
- Custom Point Layer
 - Uses Lat / Long
 - Does not require a Layer Def





NAVTEQ Data


- NAVTEQ is the leading global provider of digital map, traffic and location data that enables navigation and location-based platforms around the world.
- NAVTEQ data is licensed direct or through a reseller.
- Licenses are use specific.
- NAVTEQ data resides inside your own Oracle Database.
- NAVTEQ publishes an ODF (Oracle Data Format) version of its data designed specifically for use in an Oracle Database.







Demo of Oracle BI 11g Maps








Customizing OBI

- Why?
 - Many of the visuals in OBI contribute to the look and feel and effectiveness of your dashboard
 - Branding Elements
 - Customization for different analyses
- How?
 - Two aspects:
 - Personalization directly from the Browser
 - Chart types / Colors
 - Dashboard Look and Feel
 - Skinning and Styling by Altering Configuration Files
 - Change Logos
 - Alter the color and style of elements






Customizing from the browser





Customize Existing Dashboard Pages








Customizing Skins and Styles

NOTE: Don't attempt this without proper research and always BACKUP your original directories

Two directory trees of interest:

s_blafp (styles) --actual location may vary by installation \$BI_HOME/Oracle_BI1/bifoundation/web/app/res/**s_blaf/...**






Copyright © 2012, Vlamis Software Solutions, Inc.



Customizing Skins and Styles

- You can also set an env. variable
- Two directory trees of interest:
 sk_blafp (skins) --actual location may vary by installation
 \$BI_HOME/Oracle_Bl1/bifoundation/web/app/res/sk_blaf/...





Copyright © 2012, Vlamis Software Solutions, Inc.



Overview of Steps (read the whitepaper)

- Locate and BACKUP the s_blafp / sk_blafp directories
- Rename the "s_<name>" and "sk_<name>" directories for your mods
- Update the instanceconfig.xml with your "<name>" example:
 - <UI><DefaultSkin>name</DefaultSkin></UI><UI><DefaultStyle>name</DefaultStyle></UI>
- Make modifications to the images and .css files in your sk_<name> directory
- Once complete. Restart the Oracle BI Presentation Services and clear the browser cache to see the changes





Want to get your hands dirty? Take the OBIEE Test Drive (free)

- Hosted on Amazon Web Services Cloud (AWS)
- Full dedicated OBIEE environment with a hands-on lab
- Provisioned within minutes of request
- Available for 5 hours before shutting down
- You access this with Remote Desktop (RDP)
- Tool to support
 - Experimentation
 - Education

www.vlamis.com/testdrive_registration

- Evaluation
- Demonstration
- MicroPOC





QR Quick-links for Supporting Material



www.vlamis.com/testdrive_registration



customizing-oracle-biee-11g-176387.pdf



Thank You!

Tim Vlamis (tvlamis@vlamis.com)

Brian Terry (bterry@vlamis.com)

/webfolder/technetwork/tutorials/obe/fmw/bi/bi1113/customizing_obiee11g/customizing_obiee11g.htm

