
Effectively Using 9i OLAP in Business Intelligence Applications

presented at

ODTUG 2003



Presented by:

Dan Vlamis (dvlamis@vlamis.com)

Vlamis Software Solutions, Inc. (816) 781-2880

http://www.vlamis.com

Copyright © 2003 Vlamis Software Solutions, Inc.



- A Member of Oracle Partner Program since 1995
- Member of many Oracle Beta Programs, including Express, 9i OLAP, BI Beans
- Designs and implements databases/data marts/data warehouses using RDBMS and Multidimensional tools
- Specializes in Data Transformation, Data Warehousing, Business Intelligence, Applications Development
- Founder Dan Vlamis is former developer of Sales Analyzer Application
- Creator of first ad hoc query tool to access 9i OLAP
- Oracle Certified Solutions Provider



Agenda



- Historical background
- Comparison to Express
- Why Oracle9i OLAP?
- What is Oracle9i OLAP and how does BI Beans fit in?
- Oracle9i OLAP storage options
- Structure of Analytic Workspace
- Differences from Express





- Multidimensional user view
- Drill down, rotate
- User-created measures
- Iterative discovery process
- Multiple levels (embedded totals)

Do these attributes imply a proprietary MDBMS?

No.


In the Past



- Previous development of BI and OLAP Applications required proprietary development environment
- Each deployment model required a different tool
- Development effort very labor intensive
- Concept to Deployment takes long time
- Requires specialized skills


Business Intelligence the Old Way





- Special purpose engines for differing tasks
- Metadata migration tools ease replication
- User interfaces generally different for different tools

BI the New Way: Oracle9i DB



Data Mining

- Single business intelligence platform
 - -Reduce administration, implementation costs
 - -Faster deployment & Improved scalability and reliability

Key Developments



- Integrating Express Server team into Oracle Server team
- RDBMS gets OLAP functionality in SQL
- Data Warehouse features in Oracle 8i:
 - Bitmap and bitmap join indexes
 - Materialized views
 - Query rewrite
 - "N-pass" functions
- Increasing use of very sparse data
- Oracle focus on integration





- Multidimensional data store provides quick access
- All data in single proprietary file
- Express SPL powerful for calcing and extending apps
- GUI environment uses
 Visual Basic language
- RAM moves data from RDBMS into Express
- Designed for multiple read/only users

- Difficult for IT to adopt,
 Max database size
- Difficult to integrate and schedule back ups
- Long learning curve for new developers
- GUI not consistent with Oracle direction
- Star and snowflake only, performance concerns
- No multi-writer support



Express Has Not Gone Away... It has just been absorbed

- Analytic Workspaces are Express DB files
- Oracle marketing will downplay Express
- Design considerations for Analytic Workspaces same as for Express DBs
- Express engine still there
- Express SPL still there (but only operates on storage in analytic workspaces)
- Analytic Workspaces better at complex calculations (for now)
- Use OLAP Worksheet for OLAP DML commands



Terminology Map

Express

Oracle9i OLAP

Express database	Analytic Workspace
Oracle Express Server	Part of Oracle9i OLAP
Express Instance Manager	Part of Oracle9i OLAP
Express Agent	OLAP Agent
Express SPL (or 4GL)	OLAP DML
RAA	OLAP folder of OEM
RAM	Automatic*

^{*} Not necessary to use RAM any more since relational data directly accessible



Terminology Map (continued)

Express

Oracle9i OLAP

oesdba	olapdba
SNAPI	Java OLAP API
Oracle Express Objects	JDeveloper
Express Basic	Java
Express Administrator	AW Manager
OESCMD and Administrator command line	OLAP Worksheet






- OLAP folder of OEM defines multidimensional structure (replaces RAA)
- Query Processor processes Java OLAP API
- OLAP Worksheet provides command line to OLAP DML
- BI Beans provide linkage to Java OLAP API
- JDeveloper is environment for building apps (replaces OEO)



Oracle 9i OLAP Architecture



Rapid application development Analysis ready

Java OLAP API Predictive analysis functions

Scaleable data store Integrated meta data Summary management SQL analytic functions

Java OLAP API



- Object-oriented
- Mathematically consistent
- Java (industry standard)
- Compatible with JOLAP standard
- Declaratively (not procedure) based
- Data in relational or analytic workspace
- Multidimensional cursors
- Really designed for low-level access
- Most developers will use BI Beans instead





- Multidimensional object model
- Totals broken out by multiple attributes
- Row and column calculations
- Union dimensions
- Measures as dimensions
- Calculated dimension members
 (e.g. income 0-20K, 20-50K, 50-75K, >75K)
- Asymmetric queries
- Multiple measures per cell (e.g. color-coding)





English

Select the products where the dollars measure is greater than 1,000,000 for geography Orlando for time period May2001.


```
Express
```

```
limit geography to 'ORLANDO'
limit time to 'MAY2001'
limit product to dollars gt 1000000
```

```
Java
OLAP
API
```


Business Intelligence Beans





Java Development Environment









- Java OLAP API designed for products
- BI Beans for custom applications (using JDev)
- Oracle Reports for highly formatted reports
- Discoverer for ad hoc analysis of RDBMS data
- Oracle Apps for analysis of Apps data
- 3rd Party tools fill in gaps





- DBMS_AW.EXECUTE procedure
- DBMS_AW.INTERP function (returns a CLOB with the log from the commands)
- DBMS_AW.GETLOG() function gets the log from the most-recently executing OLAP DML command or program or OLAP_TABLE function



Analysis Functions

Oracle9i Supports

- Ranking family
- Window Aggregate
- Reporting Aggregate family LAG/LEAD
- Linear Regression family
- Inverse Percentile family
- Hypothetical Rank and Distribution family
- FIRST/LAST Aggregates family

OLAP DML Changes



- All SPL functionality there:
 - Some operating and file system commands changed
 - XCA and SNAPI no longer applicable
 - External Call (EXTCALL) command
 - SQL CONNECT command and SQL.DBMS option not necessary
- Added support for:
 - Parallel aggregate
 - Allocate
 - Data conversion functions, new data types
 - Concat (union) dimensions
 - objects with same name attached multiple times
 - dynamic model execution
 - bulk data transfer with RDBMS




OLAP DML Changes (continued)


- Database is now Analytic Workspace
 - Stored in LOB in RDBMS (9.2)
 - AW create command creates AW's
 - Can attach multiple AW's
 - Non-unique object names OK now
- Update AND THEN COMMIT
- SQL PREPARE for high-speed AW->RDBMS
- SQL access to AW via OLAP Table Function (9.2)

New Data Storage Possibilities in Oracle OLAP 9.2










Analytic Workspaces Are Stored in Tablespaces in 9i OLAP 2






9i OLAP AW Stores Data in Cubes




Fast Flexible Access to Summarized Data



Advantages of RDBMS Storage






- Store data in familiar RDBMS
- Easy access to data using SQL
- Can use materialized views
- Best for read-only applications
- Model with OWB
- Data may already be in schema





- Faster multidimensional access
- Personal user workspaces
- Best for read/write applications
- Best for heavier analysis
- OLAP DML language







- Use separate tablespaces for AWs
- Keep out of SYS tablespace
- Stripe across drives with multiple pathnames
- Make sure they autoextend
- Users should use TABLESPACE keyword when creating AWs

AWs Allow Session Level Commit



- Want to concentrate on territories that underperformed last year (complex calc)
- Compute forecast for those territories
- Let me spread this forecast down organization
- Now adjust this value + 10%
- Re-run report
- Never mind
- Go back to prior scenario
- Submit THAT forecast for approval

AWs Allow for What-if



- Modeling organizational changes
 - territory realignments
 - product hierarchy changes
- Product new launches
 - model new products after established product
- Forecasting
 - multiple scenarios
 - personal overrides of forecast
 - spread down of higher-level overrides
 - locks

AWs for Personal Data



- DBAs often don't want users modifying data
- Modeling data
- User-created calculations
- Multiple scenarios for forecasts
- Allows for collaboration between users






- OLAP DML for manipulating data in DB
- Aggregation
- Allocation
- Decision Trees
- Transform data via complex OLAP DML logic
- High-power statistical functions built-in
- Rules or logic that differs by organization
- Expert systems

What Can We Really Do?



- VSS Business Analyzer is an example of what can be done
- Developed in less than 4 months!
- Comprehensive Application that provides Ad-Hoc Query capabilities in both Thick and thin clients
- Utilizes a central report catalog available to all client types
- Provides an extensible framework for more complex applications



See www.vlamis.com for more info...





- Involve end-users early on
- Prototype, pilot, then phase 1
- Recruit "champion" users
- Lead from user community, not IT
- Develop in phases
- Provide value early on
- Keep it simple (at first)
- Need forum for users to share ideas
- Provide user guide with user's data




How Get Started? / More Information

- Java programming
 - Start with JDeveloper 9i (download from OTN)
- BI Beans
 - Tutorials (In JDeveloper)
 - Samples (on OTN)
 - Training (Web and Instructor Led)
- Oracle Technology Network
 - http://otn.oracle.com/products/bib/content.html
- VSS Business Analyzer
 - www.vlamis.com

Effectively Using 9i OLAP in Business Intelligence Applications

presented at

ODTUG 2003



Presented by:

Dan Vlamis (dvlamis@vlamis.com)

Vlamis Software Solutions, Inc. (816) 781-2880

http://www.vlamis.com

Copyright © 2003 Vlamis Software Solutions, Inc.